
Library

SEMANTIC SCHOLAR



Okubena Medicine •

Journal of Taibah University Medical Sciences

Objectives Hepacare® is a widely marketed herbal formulation in Nigeria for treating chronic liver ailments. This study evaluated the safety, as well as proinflammatory and genotoxicity effects, of... Expand

66 1 •



Organize Remove

 Haematopoietic induction and hepatic protective roles of Hepacare® in CCI4-induced hepatic damaged rats

A. Adebayo, O. Yakubu, O. S. Adegbite, O.

Okubena

Biology • Comparative Clinical Pathology •

24 February 2017

Herbal formulations are plant parts used as raw materials for self-administered pharmaceutical remedies, and many of them are being sold without any scientific validation for their potency and... Expand

66 4 ·



Organize Remove

 Comparison of an African herbal formula with commercially available haematinics

V. Okochi, J. Okpuzor, L. A. Alli Biology 31 August 2003


The haematological changes observed with commercially available haematinics (Fagon 9® and Chemiron®) were compared with those of a local haematinic referred to as African Herbal Formula (AHF).... Expand

(ATT).... L7



☐ The influence of African Herbal

Formula on the haematological parameters of trypanosome infected rats V. Okochi, J. Okpuzor, Mo Okubena, A. <u>Awoyemi</u> Biology • 30 September 2003 A herbal mixture of herbs code named African Herbal Formula (AFH) influenced the state of anaemia in trypanosome infected rats. Observations showed that the formula has an effect on the haemopoietic... Expand **66** 29 · View Research Alert 66 Cite PDF Feed Organize Remove ☐ Response of Trypanosoma brucei brucei-induced anaemia to a commercial herbal preparation P. Erah, C. Asonye, A. Okhamafe Biology 1 September 2003 ®is a herbal preparation made from three medicinal herbs (Parquetina nigrescens, Sorghum bicolor and Harungana madagascariensis). It has been reported to have been successfully used in the treatment... Expand **66** 63 • Research Alert 66 Cite Organize Remove ☐ A comparative study of the protective effect of Jubi Formula and melatonin on acute acetaminophen induced liver damage in Sprague-Dawley rats M. Ajao, A. Olawepo, L. Olayaki, F. Duru, A. Okanlawon, C. Noronha Medicine • 22 February 2008 ♣ Alert **66** Cite ♣ Research View via Publisher Organize Remove ■ Apigenin and apigeninidin isolates from the Sorghum bicolor leaf targets inflammation via cyclooxygenase-2 and prostaglandin-E2 blockade



Stay Connected With Semantic Scholar

Your E-mail Address Sign Up

What Is Semantic Scholar? Semantic Scholar is a free, Al-powered research tool for scientific literature, based at the Allen Institute for Al. About Research Resources About Us Team Librarians Tutorials Beta Program Open Corpus FAQ

Learn More Contact Supp.ai API

Proudly built by AI2
Collaborators & Attributions • Terms of Service • Privacy Policy

Alen Institute for Al